In pursuance of its powers under the Acts an Orders referred to below, the County Borough Council as Local Planning Authority, hereby determines your application in accordance with the particulars and plans comprising the application

wrexham
COUNTY BOROUGH COUNCIL
CYNGOR BWRDEISTREF SIROL
wrecsam

Applicant Mr & Mrs Emma Erraji

Agent Mr Carl Hughes
The Foundry, 15 Yorke Street, Wrexham, United Kingdom, LL13 8LW

Reference P/2025/0741

Date Received 25/09/2025

Decision Date 20/03/2026

Town and Country Planning Act, 1990

Location of Application

COACH HOUSE, GREEN STREET, HOLT, WREXHAM, LL13 9JF

Description of Application

NEWID DEFNYDD ADEILAD O DDOSBARTH C2 (CARTREF GOFAL) I DDOSBARTH C3 (2 ANNEDD)

CHANGE OF USE OF BUILDING FROM CLASS C2 (CARE HOME) TO CLASS C3 (2 NO DWELLINGS)

In reaching this decision the Council has had regard to the following relevant policies: -

Development Plan Policies:

EC6 - Biodiversity Conservation
EC7 - Conservation Areas
GDP 1- Development Objectives
H2 - Residential Development (of Unannotated Land) within Settlements
T8 - Parking
EC14 - Protection of Controlled Waters

Revision	Date	Description of Decision
0	20/03/2026	Planning permission issued

Particulars of decision : GRANTED subject to the following:-

Condition(s)

In pursuance of its powers under the Acts an Orders referred to below, the County Borough Council as Local Planning Authority, hereby determines your application in accordance with the particulars and plans comprising the application

wrexham
COUNTY BOROUGH COUNCIL
CYNGOR BWRDEISTREF SIROL
wrecsam

Applicant Mr & Mrs Emma Erraji

Reference P/2025/0741

Agent Mr Carl Hughes
The Foundry, 15 Yorke Street, Wrexham, United Kingdom, LL13 8LW

Date Received 25/09/2025

Decision Date 20/03/2026

1. The development hereby permitted shall be commenced before the expiry of five years from the date of this permission.

2. The development shall only be carried out in strict accordance with the details shown on the following plan(s) and document(s):
   - CH/PD/08 Proposed Site Plan
   - TC/PD/04 04 Proposed Ground Floor Plan
   - CH/PD/05 05 Proposed First Floor Plan
   - CH/PD/06 06 Proposed Elevation
   - The Coach House, Green Street, LL13 9JF - Visibility Splays Pro Map
   - Visibility Splay Assessment and Highways Planning Statement, Dated 01 FEBRUARY 2026

3. The external surfaces of the building(s) shall be constructed of the materials specified on plan reference CH/PD/06 06 Proposed Elevation.

4. Prior to their installation on the building, drawings to scale 1:5 and 1:20 fully detailing all new or replacement windows and doors shall be submitted to and approved in writing by the Local Planning Authority. The details shall fully describe the proposed materials, decorative/protective finishes, method of opening and glazing type and include cross sections for glazing bars, sills, heads etc. The works shall only be carried out in strict accordance with such details as are approved.

5. No land drainage run-off or surface water shall be permitted to discharge or connect to the public sewerage system, either directly or indirectly, and foul and surface water shall be drained separately from the site.

6. Prior to first use of the vehicular access hereby approved, the access shall be surfaced with hard bound materials (e.g. bituminous macadam) for a minimum distance of 5 metres behind the adjoining highway.

In pursuance of its powers under the Acts an Orders referred to below, the County Borough Council as Local Planning Authority, hereby determines your application in accordance with the particulars and plans comprising the application

wrexham
COUNTY BOROUGH COUNCIL
CYNGOR BWRDEISTREF SIROL
wrecsam

Applicant Mr & Mrs Emma Erraji

Reference P/2025/0741

Agent Mr Carl Hughes
The Foundry, 15 Yorke Street, Wrexham, United Kingdom, LL13 8LW

Date Received 25/09/2025

Decision Date 20/03/2026

7. Prior to first use of the development hereby permitted the vehicular access shall provide visibility splays of 2.4 metres x 25 metres in both directions measured to the centreline of the adjoining highway. Within these splays there shall be no obstruction in excess of 1 metre in height above the level of the adjoining highway. The splays shall thereafter be permanently retained clear of any such obstruction to visibility.

8. Notwithstanding the provisions of the Town and Country Planning (General Permitted Development) Order 1995 (as amended for Wales) (or any Order revoking and re-enacting that Order with or without modification), no fences, gates or walls shall be erected within shall be erected, constructed or placed across the access within 5 metres of the highway boundary.

9. The development shall be carried out in strict accordance with the following plans and report(s) submitted and approved as part of this application:
1) Visibility Splay Assessment and Highways Planning Statement, Dated 01 FEBRUARY 2026
No development or other operations shall take place except in strict accordance with the report as approved.

10. The vehicular parking and turning areas as shown on the plans(s) numbered CH/PD/08 Proposed Site Plan shall be fully laid out, surfaced and drained prior to first use of the development. This area shall thereafter be permanently retained and kept free of any obstruction and made available solely for the parking of vehicles at all times.

11. Prior to first use of the development the on-site bicycle parking facilities shall be provided in strict accordance with plan reference CH/PD/08 Proposed Site Plan. The facilities shall thereafter be permanently retained and kept free of any obstruction, and made available solely for the parking of bicycles.

In pursuance of its powers under the Acts an Orders referred to below, the County Borough Council as Local Planning Authority, hereby determines your application in accordance with the particulars and plans comprising the application

wrexham
COUNTY BOROUGH COUNCIL
CYNGOR BWRDEISTREF SIROL
wrecsam

Applicant Mr & Mrs Emma Erraji

Agent Mr Carl Hughes
The Foundry, 15 Yorke Street, Wrexham, United Kingdom, LL13 8LW

Reference P/2025/0741

Date Received 25/09/2025

Decision Date 20/03/2026

12. No private surface water run off shall be permitted to flow from the development site onto the adjoining highway. An Aco drain or similar shall be provided across the approved access to intercept any such run off prior to first use of the development and thereafter permanently retained.

13. The net biodiversity benefit measures shall be implemented in full in strict accordance with approved plan reference CH/PD/06 06 Proposed Elevation prior to first occupation / use of the development, and thereafter maintained for the lifetime of the development.

Reason(s)

1. To comply with Section 91(3) of the Town and Country Planning Act, 1990.

2. To comply with Section 71ZA(2) of the Town and Country Planning Act, 1990.

3. To ensure a satisfactory standard of appearance of the development in the interests of the visual amenities of the area in accordance with Policy GDP1 of the Wrexham Unitary Development Plan.

4. To ensure the works reflect the character and appearance of the building in accordance with Policy GDP1 of the Wrexham Unitary Development Plan.

5. To protect the integrity of the public sewerage system and prevent hydraulic overloading of the public sewerage system. To protect the health and safety of existing residents and to ensure no detriment to the environment in accordance with Policy GDP1 of the Wrexham Unitary Development Plan.

In pursuance of its powers under the Acts an Orders referred to below, the County Borough Council as Local Planning Authority, hereby determines your application in accordance with the particulars and plans comprising the application

wrexham
COUNTY BOROUGH COUNCIL
CYNGOR BWRDEISTREF SIROL
wrecsam

Applicant Mr & Mrs Emma Erraji

Reference P/2025/0741

Agent Mr Carl Hughes
The Foundry, 15 Yorke Street, Wrexham, United Kingdom, LL13 8LW

Date Received 25/09/2025

Decision Date 20/03/2026

6. To ensure that no deleterious material is carried onto the highway, in the interests of highway safety in accordance with Policy GDP1 of the Wrexham Unitary Development Plan.

7. To ensure that adequate visibility is provided at the proposed point of access to the highway in accordance with Policy GDP1 of the Wrexham Unitary Development Plan.

8. In the interests of highway safety in accordance with Policy GDP1 of the Wrexham Unitary Development Plan.

9. In the interests of highway safety in accordance with Policy GDP1 of the Wrexham Unitary Development Plan

10. To provide for the parking and turning of vehicles clear of the highway and to ensure that reversing by vehicles into or from the highway is rendered unnecessary in the interest of traffic safety in accordance with Policies GDP1 and T8 of the Wrexham Unitary Development Plan.

11. To assist occupiers/users of the development to make sustainable transport choices in accordance with Policy GDP1 of the Wrexham Local Unitary Plan.

12. In the interests of highway safety in accordance with Policy GDP1 of the Wrexham Unitary Development Plan.

13. To ensure the development delivers net benefit to biodiversity in accordance with paragraph 6.4.5 of Planning Policy Wales 12.

Note(s) to applicant

The permission hereby granted does not authorise encroachment upon, or interference with, the adjoining property.

In pursuance of its powers under the Acts an Orders referred to below, the County Borough Council as Local Planning Authority, hereby determines your application in accordance with the particulars and plans comprising the application

wrexham
COUNTY BOROUGH COUNCIL
CYNGOR BWRDEISTREF SIROL
wrecsam

Applicant Mr & Mrs Emma Erraji

Agent Mr Carl Hughes
The Foundry, 15 Yorke Street, Wrexham, United Kingdom, LL13 8LW

Reference P/2025/0741

Date Received 25/09/2025

Decision Date 20/03/2026

You are advised that building work which involves work on an existing wall shared with another property, building on the boundary with a neighbouring property or excavating near a neighbouring building may require the separate consent of the neighbour under the provisions of the Party Wall Act. If you require further information or advice please contact the Building Control Section on 01978 298884.

The proposed development lies within a coal mining area which may contain unrecorded coal mining related hazards. If any coal mining feature is encountered during development, this should be reported immediately to the Coal Authority on 0345 762 6848. Further information is also available on the Coal Authority website at: www.gov.uk/government/organisations/the-coal-authority

You are advised that the planning permission hereby granted does not authorise any building over, diversion, connection or other interference with any sewer, public or private, which crosses the site. You are advised to contact Welsh Water in this regard, prior to undertaking any groundwork in connection with the development. Should you be required to depart from the details hereby approved, you should contact the Council's planning department to seek further advice with regard to the submission of amended plans and / or a new planning application.

Following the commencement of Schedule 3 of the Flood and Water Management Act, the works as proposed are required to obtain approval from the SuDS Approving Body (SAB) prior to commencement of those construction works. Further details of the SAB, the new national standards, the pre-application advice service and the application for approval process can be found on the Wrexham CBC's SAB webpage: https://www.wrexham.gov.uk/english/planning_portal/sab/sab.htm or by contacting the SAB Team directly at SAB@wrexham.gov.uk

Detailed advice has been issued by Natural Resources Wales which is available on the Council's planning applications website.

In pursuance of its powers under the Acts an Orders referred to below, the County Borough Council as Local Planning Authority, hereby determines your application in accordance with the particulars and plans comprising the application

wrexham
COUNTY BOROUGH COUNCIL
CYNGOR BWRDEISTREF SIROL
wrecsam

Applicant Mr & Mrs Emma Erraji

Agent Mr Carl Hughes
The Foundry, 15 Yorke Street, Wrexham, United Kingdom, LL13 8LW

Reference P/2025/0741

Date Received 25/09/2025

Decision Date 20/03/2026

In line with the Welsh Government's decarbonisation targets, Welsh Government published the Electric Vehicle Charging Strategy, setting out its plans for charging electric cars and vans in Wales. In the interest of supporting and encouraging low emission vehicles, in the interest of air quality enhancement, and to comply with the aims and objectives of the Electric Vehicle Charging Strategy, we encourage the provision of electric vehicle charge points and recommend the following minimum standard for numbers and power output:· One Standard Electric Vehicle Charging Point providing a continuous supply of at least 16A (3.5kW) for at least 10% of parking spaces;
· A Standard Electric Vehicle Charging Point is one which is capable of providing a continuous supply of at least 16A (3.5kW) and up to 32A (7kW). The higher output is more likely to be futureproof;
· The electrical supply of the final installation should allow the charging equipment to operate at full rated capacity;
· The installation must comply with all applicable electrical requirements in force at the time of installation.

All works in relation to the implementation of this permission, including deliveries to and /or leaving the site, should be undertaken only between the hours of 07.30 to 18.00 Monday to Friday, 08.00 to 14.00 on a Saturday, and at no time on a Sunday or a Bank Holiday. Outside these times, any works which are audible beyond the site boundary have the potential to cause unreasonable disturbance to neighbouring premises.

The applicant is advised that the Council has the option to control construction noise by serving a Control of Pollution Act 1974, Section 60 Notice where deemed necessary, and failure to comply with such a Notice can result in prosecution.

The applicant is further advised that any complaints received relating to noise of any type from the development may also be investigated using the Council’s Standardised Procedure for Dealing with Noise Nuisance Complaints. This is done under the Statutory Nuisance provisions provided within the Environmental Protection Act 1990, and legal action may be taken where appropriate.

In pursuance of its powers under the Acts an Orders referred to below, the County Borough Council as Local Planning Authority, hereby determines your application in accordance with the particulars and plans comprising the application

wrexham
COUNTY BOROUGH COUNCIL
CYNGOR BWRDEISTREF SIROL
wrecsam

Applicant Mr & Mrs Emma Erraji

Reference P/2025/0741

Agent Mr Carl Hughes
The Foundry, 15 Yorke Street, Wrexham, United Kingdom, LL13 8LW

Date Received 25/09/2025

Decision Date 20/03/2026

The applicant must adhere to the times given above wherever possible. If, however, there are urgent or unavoidable circumstances requiring work outside of the specified times, permission to proceed may be sought by contacting Environmental Health & Housing Standards at healthandhousing@wrexham.gov.uk or 01978 292040. Please use the same contact details for any other enquiries regarding construction / demolition site noise.

Burning of waste generated from construction activities is not considered to be an appropriate method of disposal and action may be taken as follows:
- Under the Environmental Protection Act 1990 anyone found disposing of construction site waste by burning is likely to be in breach of their duty of care with regard to waste disposal;
- Under the same Act an abatement notice may be served where smoke is judged to be causing a nuisance to neighbouring properties. Failure to comply with the requirements of the notice can result in prosecution;
- Under the Clean Air Act 1993 it is an offence for a commercial activity to burn anything that gives rise to dark smoke.

To prevent offences under the above named Acts there should be no bonfires on the site, to include the prohibition of the burning of cleared vegetation. The applicant should contact the Council's Environmental Health & Housing Standards Team on healthandhousing@wrexham.gov.uk or 01978 292040 for further advice and information.

The Applicant is advised that under the dust from construction and / or demolition activities can be judged to be causing a statutory nuisance to neighbouring properties. A legal notice can be served requiring that any dust nuisance is abated, and failure to comply with the requirements of the notice can result in prosecution. The applicant should contact the Council's Environmental Health & Housing Standards Team on healthandhousing@wrexham.gov.uk or 01978 292040 for further advice and information.

Ian Jones

Prif Swyddog Dros Dro Yr Economi a Chynllunio
Interim Chief Officer Economy and Planning

In pursuance of its powers under the Acts an Orders referred to below, the County Borough Council as Local Planning Authority, hereby determines your application in accordance with the particulars and plans comprising the application

Applicant Mr & Mrs Emma Erraji

Agent Mr Carl Hughes
The Foundry, 15 Yorke Street, Wrexham, United Kingdom, LL13 8LW

Reference P/2025/0741

Date Received 25/09/2025

Decision Date 20/03/2026

Refer to Statement of Applicant's Rights and General Information on our planning web site at:-
Planning and building control | Wrexham County Borough Council