


Curtins

General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point

Risk of Flooding from Surface Water


- High - 30 Year Return
- Medium - 100 Year Return
- Low - 1000 Year Return

Suitability

See the suitability map below

- National to county
- County to town
- Town to street
- Street to parcels of land
- Property

EA/NRW Suitability Map - Slice A



Order Details

Order Number:	396112609_1_1
Customer Ref:	089023
National Grid Reference:	339340, 350050
Slice:	A
Site Area (Ha):	11.66
Search Buffer (m):	1000

Site Details

T D G Logistics, Bryn Lane Warehouse, Bryn Lane, Wrexham, LL13 9UT

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk

Curtins

WFD Surface Waters Map

General

Specified Site | Specified Buffer(s) | Bearing Reference Point | Slice | Map ID

Water Framework Directive - Surface Water Quality

- High
- Good
- Moderate
- Poor
- Bad


Contours (height in meters)

Standard Contour | Master Contour | Spot Height * 167.3

MLW Mean Low Water

MHW Mean High Water

WFD Surface Waters Map - Slice A



Order Details

Order Number:	396112609_1_1
Customer Ref:	089023
National Grid Reference:	339340, 350050
Slice:	A
Site Area (Ha):	11.66
Search Buffer (m):	1000

Site Details

T D G Logistics, Bryn Lane Warehouse, Bryn Lane, Wrexham, LL13 9UT

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk

© Crown copyright and database rights 2026 OS AC0000813445

Geology 1:50,000 Maps Legends

Artificial Ground and Landslip

Map Colour	Lex Code	Rock Name	Rock Type	Min and Max Age
	LSGR	Landscaped Ground (Undivided)	Artificially Modified Ground	Not Supplied - Holocene
	MGR	Made Ground (Undivided)	Artificial Deposit	Not Supplied - Holocene

Superficial Geology

Map Colour	Lex Code	Rock Name	Rock Type	Min and Max Age
	ALV	Alluvium	Clay, Silt, Sand and Gravel	Not Supplied - Holocene
	TILLD	Till, Devensian	Diamicton	Not Supplied - Devensian
	GFSDD	Glaciofluvial Sheet Deposits, Devensian	Sand and Gravel	Not Supplied - Devensian
	RTD1	River Terrace Deposits, 1	Sand and Gravel	Not Supplied - Quaternary
	RTD2	River Terrace Deposits, 2	Sand and Gravel	Not Supplied - Quaternary
	RTD3	River Terrace Deposits, 3	Sand and Gravel	Not Supplied - Quaternary
	RTDU	River Terrace Deposits (Undifferentiated)	Sand and Gravel	Not Supplied - Quaternary

Bedrock and Faults

Map Colour	Lex Code	Rock Name	Rock Type	Min and Max Age
	CHES	Chester Formation	Sandstone, Pebbly (Gravelly)	Not Supplied - Olenekian
	KNSF	Kinnerton Sandstone Formation	Sandstone	Not Supplied - Early Triassic
	SAL	Salop Formation	Mudstone, Sandstone and Conglomerate	Not Supplied - Westphalian
		Faults		

Curtins


Geology 1:50,000 Maps

This report contains geological map extracts taken from the BGS Digital Geological map of Great Britain at 1:50,000 scale and is designed for users carrying out preliminary site assessments who require geological maps for the area around the site. This mapping may be more up to date than previously published paper maps.
The various geological layers - artificial and landslip deposits, superficial geology and solid (bedrock) geology are displayed in separate maps, but superimposed on the final 'Combined Surface Geology' map. All map legends feature on this page. Not all layers have complete nationwide coverage, so availability of data for relevant map sheets is indicated below.

Geology 1:50,000 Maps Coverage

Map ID:	**2**	**Map ID:**	**1**
Map Sheet No:	**121**	**Map Sheet No:**	**122**
Map Name:	**Wrexham**	**Map Name:**	**Nantwich**
Map Date:	**1993**	**Map Date:**	**1967**
Bedrock Geology:	**Available**	**Bedrock Geology:**	**Available**
Superficial Geology:	**Available**	**Superficial Geology:**	**Available**
Artificial Geology:	**Available**	**Artificial Geology:**	**Not Available**
Faults:	**Not Supplied**	**Faults:**	**Not Supplied**
Landslip:	**Available**	**Landslip:**	**Available**
Rock Segments:	**Not Supplied**	**Rock Segments:**	**Not Supplied**

Geology 1:50,000 Maps - Slice A




Order Details:

Order Number:	396112609_1_1
Customer Reference:	089023
National Grid Reference:	339340, 350050
Slice:	A
Site Area (Ha):	11.66
Search Buffer (m):	1000

Site Details:

T D G Logistics, Bryn Lane Warehouse, Bryn Lane, Wrexham, LL13 9UT



© Crown copyright and database rights 2026 OS AC0000813445

Curtins

Artificial Ground and Landslip


Artificial ground is a term used by BGS for those areas where the ground surface has been significantly modified by human activity. Information about previously developed ground is especially important, as it is often associated with potentially contaminated material, unpredictable engineering conditions and unstable ground.

Artificial ground includes:

- Made ground - man-made deposits such as embankments and spoil heaps on the natural ground surface.
- Worked ground - areas where the ground has been cut away such as quarries and road cuttings.
- Infilled ground - areas where the ground has been cut away then wholly or partially backfilled.
- Landscaped ground - areas where the surface has been reshaped.
- Disturbed ground - areas of ill-defined shallow or near surface mineral workings where it is impracticable to map made and worked ground separately.

Mass movement (landslip) deposits on BGS geological maps are primarily superficial deposits that have moved down slope under gravity to form landslips. These affect bedrock, other superficial deposits and artificial ground. The dataset also includes foundered strata, where the ground has collapsed due to subsidence.

Artificial Ground and Landslip Map - Slice A




Order Details:

Order Number:	396112609_1_1
Customer Reference:	089023
National Grid Reference:	339340, 350050
Slice:	A
Site Area (Ha):	11.66
Search Buffer (m):	1000

Site Details:

T D G Logistics, Bryn Lane Warehouse, Bryn Lane, Wrexham, LL13 9UT

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and database rights 2026 OS AC0000813445

Curtins


Superficial Geology

Superficial Deposits are the youngest geological deposits formed during the most recent period of geological time, the Quaternary, which extends back about 1.8 million years from the present.

They rest on older deposits or rocks referred to as Bedrock. This dataset contains Superficial deposits that are of natural origin and 'in place'. Other superficial strata may be held in the Mass Movement dataset where they have been moved, or in the Artificial Ground dataset where they are of man-made origin.

Most of these Superficial deposits are unconsolidated sediments such as gravel, sand, silt and clay, and onshore they form relatively thin, often discontinuous patches or larger spreads.

Superficial Geology Map - Slice A




Order Details:

Order Number:	396112609_1_1
Customer Reference:	089023
National Grid Reference:	339340, 350050
Slice:	A
Site Area (Ha):	11.66
Search Buffer (m):	1000

Site Details:

T D G Logistics, Bryn Lane Warehouse, Bryn Lane, Wrexham, LL13 9UT

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and database rights 2026 OS AC0000813445

Curtins

Bedrock and Faults


Bedrock geology is a term used for the main mass of rocks forming the Earth and are present everywhere, whether exposed at the surface in outcrops or concealed beneath superficial deposits or water.

The bedrock has formed over vast lengths of geological time ranging from ancient and highly altered rocks of the Proterozoic, some 2500 million years ago, or older, up to the relatively young Pliocene, 1.8 million years ago.

The bedrock geology includes many lithologies, often classified into three types based on origin: igneous, metamorphic and sedimentary.

The BGS Faults and Rock Segments dataset includes geological faults (e.g. normal, thrust), and thin beds mapped as lines (e.g. coal seam, gypsum bed). Some of these are linked to other particular 1:50,000 Geology datasets, for example, coal seams are part of the bedrock sequence, most faults and mineral veins primarily affect the bedrock but cut across the strata and post date its deposition.

Bedrock and Faults Map - Slice A




Order Details:

Order Number:	396112609_1_1
Customer Reference:	089023
National Grid Reference:	339340, 350050
Slice:	A
Site Area (Ha):	11.66
Search Buffer (m):	1000

Site Details:

T D G Logistics, Bryn Lane Warehouse, Bryn Lane, Wrexham, LL13 9UT

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



© Crown copyright and database rights 2026 OS AC0000813445

Curtins

Combined Surface Geology

The Combined Surface Geology map combines all the previous maps into one combined geological overview of your site.

Please consult the legends to the previous maps to interpret the Combined "Surface Geology" map.


Additional Information

More information on 1:50,000 Geological mapping and explanations of rock classifications can be found on the BGS website. Using the LEX Codes in this report, further descriptions of rock types can be obtained by interrogating the 'BGS Lexicon of Named Rock Units'. This database can be accessed by following the 'Information and Data' link on the BGS website.

Contact

British Geological Survey
Kingsley Dunham Centre
Keyworth
Nottingham
NG12 5GG
Telephone: 0115 936 3143
Fax: 0115 936 3276
email: enquiries@bgs.ac.uk
website: www.bgs.ac.uk

Combined Geology Map - Slice A




Order Details:

Order Number:	396112609_1_1
Customer Reference:	089023
National Grid Reference:	339340, 350050
Slice:	A
Site Area (Ha):	11.66
Search Buffer (m):	1000

Site Details:

T D G Logistics, Bryn Lane Warehouse, Bryn Lane, Wrexham, LL13 9UT



Curtins

Groundwater Vulnerability

General

Specified Site | Specified Buffer(s) | Bearing Reference Point | Slice | Map ID


Agency and Hydrological

Bedrock Aquifers	Superficial Aquifers
High Vulnerability, Principal Aquifer	High Vulnerability, Principal Aquifer
High Vulnerability, Secondary Aquifer	High Vulnerability, Secondary Aquifer
Medium Vulnerability, Principal Aquifer	Medium Vulnerability, Principal Aquifer
Medium Vulnerability, Secondary Aquifer	Medium Vulnerability, Secondary Aquifer
Low Vulnerability, Principal Aquifer	Low Vulnerability, Principal Aquifer
Low Vulnerability, Secondary Aquifer	Low Vulnerability, Secondary Aquifer

Unproductive Aquifer

Soluble Rock

Site Sensitivity Context Map - Slice A




Order Details

Order Number:	396112609_1_1
Customer Ref:	089023
National Grid Reference:	339340, 350050
Slice:	A
Site Area (Ha):	11.66
Search Buffer (m):	1000

Site Details

T D G Logistics, Bryn Lane Warehouse, Bryn Lane, Wrexham, LL13 9UT

Landmark® INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



©Crown copyright and database rights 2026 OS AC0000813445

Curtins

Bedrock Aquifer Designation

General


Specified Site | Specified Buffer(s) | Bearing Reference Point | Slice | Map ID

Agency and Hydrological

Geological Classes

- Principal Aquifer
- Secondary A Aquifer
- Secondary B Aquifer
- Secondary Undifferentiated
- Unproductive Strata
- Unknown
- Unknown (Lakes and Landslip)

Site Sensitivity Context Map - Slice A




Order Details

Order Number:	396112609_1_1
Customer Ref:	089023
National Grid Reference:	339340, 350050
Slice:	A
Site Area (Ha):	11.66
Search Buffer (m):	1000

Site Details

T D G Logistics, Bryn Lane Warehouse, Bryn Lane, Wrexham, LL13 9UT

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Curtins

Superficial Aquifer Designation

General


Specified Site | Specified Buffer(s) | Bearing Reference Point | Slice | Map ID

Agency and Hydrological

Geological Classes

- Principal Aquifer
- Secondary A Aquifer
- Secondary B Aquifer
- Secondary Undifferentiated
- Unproductive Strata
- Unknown
- Unknown (Lakes and Landslip)

Site Sensitivity Context Map - Slice A




Order Details

Order Number:	396112609_1_1
Customer Ref:	089023
National Grid Reference:	339340, 350050
Slice:	A
Site Area (Ha):	11.66
Search Buffer (m):	1000

Site Details

T D G Logistics, Bryn Lane Warehouse, Bryn Lane, Wrexham, LL13 9UT

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Curtins

Source Protection Zones

General


Specified Site | Specified Buffer(s) | Bearing Reference Point

Slice | Map ID

Agency and Hydrological

- Inner zone (Zone 1)
- Inner zone - subsurface activity only (Zone 1c)
- Outer zone (Zone 2)
- Outer zone - subsurface activity only (Zone 2c)
- Total catchment (Zone 3)
- Total catchment - subsurface activity only (Zone 3c)
- Special interest (Zone 4)

Site Sensitivity Context Map - Slice A



Order Details


Order Number:	396112609_1_1
Customer Ref:	089023
National Grid Reference:	339340, 350050
Slice:	A
Site Area (Ha):	11.66
Search Buffer (m):	1000

Site Details

T D G Logistics, Bryn Lane Warehouse, Bryn Lane, Wrexham, LL13 9UT

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Curtins

Sensitive Land Uses


General

Specified Site | Specified Buffer(s) | Bearing Reference Point
Slice | Map ID

Sensitive Land Uses

- Ancient Woodland
- Area of Adopted Green Belt
- Area of Unadopted Green Belt
- Area of Outstanding Natural Beauty
- Environmentally Sensitive Area
- Forest Park
- Local Nature Reserve
- Marine Nature Reserve
- National Nature Reserve
- National Park
- Nitrate Sensitive Area
- Nitrate Vulnerable Zone
- Ramsar Site
- Site of Special Scientific Interest
- Special Area of Conservation
- Special Protection Area
- World Heritage Sites

Site Sensitivity Context Map - Slice A




Order Details

Order Number:	396112609_1_1
Customer Ref:	089023
National Grid Reference:	339340, 350050
Slice:	A
Site Area (Ha):	11.66
Search Buffer (m):	1000

Site Details

T D G Logistics, Bryn Lane Warehouse, Bryn Lane, Wrexham, LL13 9UT



Curtins

BGS Flood GFS Data


General

Specified Site | Specified Buffer(s) | Bearing Reference Point | Slice

Agency and Hydrological (Flood)

- Limited Potential for Groundwater Flooding to Occur
- Potential for Groundwater Flooding of Property Situated Below Ground Level
- Potential for Groundwater Flooding to Occur at Surface

Site Sensitivity Context Map - Slice A



Order Details

Order Number:	396112609_1_1
Customer Ref:	089023
National Grid Reference:	339340, 350050
Slice:	A
Site Area (Ha):	11.66
Search Buffer (m):	1000

Site Details

T D G Logistics, Bryn Lane Warehouse, Bryn Lane, Wrexham, LL13 9UT



Curtins

General


Specified Site | Specified Buffer(s) | X Bearing Reference Point

Estimated Soil Chemistry Arsenic

Arsenic Concentrations mg/kg

- < 15
- 15 - 25
- 25 - 35
- 35 - 45
- 45 - 60
- 60 - 120
- > 120

Estimated Soil Chemistry Arsenic - Slice A



Order Details

Order Details:	396112609_1_1
Customer Ref:	089023
National Grid Reference:	339340, 350050
Slice:	A
Site Area (Ha):	11.66
Search Buffer (m):	1000

Site Details

T D G Logistics, Bryn Lane Warehouse, Bryn Lane, Wrexham, LL13 9UT

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Curtins

General


Specified Site | Specified Buffer(s) | X Bearing Reference Point

Estimated Soil Chemistry Cadmium

Cadmium Concentrations mg/kg

- < 1.8
- 1.8 - 2.2
- 2.2 - 3.0
- > 3.0

Estimated Soil Chemistry Cadmium - Slice A



Order Details

Order Details:	396112609_1_1
Customer Ref:	089023
National Grid Reference:	339340, 350050
Slice:	A
Site Area (Ha):	11.66
Search Buffer (m):	1000

Site Details

T D G Logistics, Bryn Lane Warehouse, Bryn Lane, Wrexham, LL13 9UT

Landmark INFORMATION GROUP

Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk



Curtins

General


Specified Site | Specified Buffer(s) | X Bearing Reference Point

Estimated Soil Chemistry Chromium

Chromium Concentrations mg/kg

- < 20
- 20 - 40
- 40 - 60
- 60 - 90
- 90 - 120
- 120 - 180
- > 180

Estimated Soil Chemistry Chromium - Slice A



Order Details

Order Details:	396112609_1_1
Customer Ref:	089023
National Grid Reference:	339340, 350050
Slice:	A
Site Area (Ha):	11.66
Search Buffer (m):	1000

Site Details

T D G Logistics, Bryn Lane Warehouse, Bryn Lane, Wrexham, LL13 9UT

Landmark INFORMATION GROUP
Tel: 0844 844 9952
Fax: 0844 844 9951
Web: www.envirocheck.co.uk